

Oriental Fruit Fly Host List
August 2015

<u>Oriental Fruit Fly Host List - 435 Hosts Total</u>	
Botanical Name	Common Name
<i>Acca sellowiana</i> (O. Berg) Burret	Guavasteen, pineapple-guava
<i>Adenanthera pavonina</i> L.	Red sandalwood
<i>Adonidia merrillii</i> (Becc.) Becc.	Manila palm
<i>Aegle marmelos</i> (L.) Corrêa	Baeltree
<i>Afzelia xylocarpa</i> (Kurz) Craib	Doussie
<i>Alangium chinense</i> (Lour.) Harms	Begonialeaf alangium
<i>Alangium griffithii</i> (C.B. Clarke) Harms	
<i>Alangium salviifolium</i> (L. f.) Wangerin	Sage-leaf alangium
<i>Alpinia mutica</i> Roxb.	Small shell ginger
<i>Anacardium occidentale</i> L.	Cashew nut
<i>Ananas comosus</i> (L.) Merr.	Pineapple
<i>Annona xatemoya</i> Mabb.	Atemoya
<i>Annona cherimola</i> Mill.	Cherimoya
<i>Annona glabra</i> L.	Pond-apple
<i>Annona macrophyllata</i> Donn. Sm.	Llama
<i>Annona montana</i> Macfad.	Mountain soursop
<i>Annona muricata</i> L.	Soursop
<i>Annona reticulata</i> L.	Custard apple
<i>Annona senegalensis</i> Pers.	Wild custard-apple
<i>Annona squamosa</i> L.	Custard apple, sugar apple
<i>Antiaris toxicaria</i> (Pers.) Lesch.	Sackingtree
<i>Antidesma ghaesembilla</i> Gaertn.	Black currant tree
<i>Aporosa villosa</i> (Lindl.) Baill.	Ye-mein
<i>Ardisia crenata</i> Sims	Hen's eye, coralberry
<i>Areca catechu</i> L.	Areca palm
<i>Arenga engleri</i> Becc.	Formosan sugar palm
<i>Arenga pinnata</i> (Wurmb.) Merr.	Sugar palm
<i>Arenga westerhoutii</i> Griff.	
<i>Artabotrys siamensis</i> Miq.	
<i>Artocarpus altilis</i> (Parkinson) Fosberg	Breadfruit
<i>Artocarpus chama</i> Buch.-Ham.	Chaplash
<i>Artocarpus elastica</i> Reinw. ex Blume	Terap
<i>Artocarpus heterophyllus</i> Lam.	Jack fruit
<i>Artocarpus integer</i> (Thunb.) Merr.	Chempedak
<i>Artocarpus lacucha</i> Buch.-Ham.	Monkeyfruit
<i>Artocarpus lanceifolius</i> Roxb.	Keledang
<i>Artocarpus lanceolatus</i> Trécul	
<i>Artocarpus odoratissimus</i> Blanco	Marang
<i>Artocarpus rigidus</i> subsp. <i>asperulus</i> (Gagnep.) F. M. Jarrett	Monkey-jack
<i>Artocarpus sericarpus</i> F. M. Jarrett	
<i>Averrhoa bilimbi</i> L.	Bilimbi
<i>Averrhoa carambola</i> L.	Carambola

Oriental Fruit Fly Host List
August 2015

<i>Azadirachta excelsa</i> (Jack) M. Jacobs	
<i>Baccaurea angulata</i> Merr.	Red angled tampoi
<i>Baccaurea motleyana</i> (Müll. Arg.) Müll. Arg.	Rambai
<i>Baccaurea racemosa</i> (Reinw.) Müll. Arg.	Menteng
<i>Baccaurea ramiflora</i> Lour.	Burmese grape
<i>Bactris gasipaes</i> Kunth	Peach palm
<i>Balakata baccata</i> (Roxb.) Esser	Jiang guo wu jiu
<i>Barringtonia edulis</i> Seem.	Cutnut
<i>Bischofia javanica</i> Blume	Java-cedar, needlebark
<i>Blighia sapida</i> K. D. Koenig	Akee
<i>Borassus flabellifer</i> L.	Toddy palm
<i>Bouea macrophylla</i> Griff.	Gandaria
<i>Bouea oppositifolia</i> (Roxb.) Meisn.	Plum mango
<i>Breynia reclinata</i> (Roxb.) Hook. f.	
<i>Bridelia stipularis</i> (L.) Blume	Lulalub
<i>Brugmansia ×candida</i> Pers.	Angel's-trumpet
<i>Callicarpa longifolia</i> Lam.	Chukin
<i>Calophyllum inophyllum</i> L.	Alexandrian laurel, kamani
<i>Cananga odorata</i> (Lam.) hook. f. & Thomson	Ylang-ylang
<i>Canarium insulare</i>	
<i>Capparis sepiaria</i> L.	Hedge caper bush
<i>Capparis tomentosa</i> Lam.	African caper
<i>Capsicum annuum</i> L.	Chili Bell pepper, chili, nioii lei, red pepper, sweet pepper
<i>Capsicum chinense</i> Jacq.	Bonnet pepper
<i>Capsicum frutescens</i> L.	Tabasco pepper
<i>Capsicum pubescens</i> Ruiz & Pav.	Apple chile
<i>Careya arborea</i> Roxb.	
<i>Careya sphaerica</i> Roxb.	Kra doon
<i>Carica papaya</i> L.	Papaya
<i>Carissa carandas</i> L.	Carandas-plum
<i>Carissa spinarum</i> L.	Currentbush
<i>Caryota mitis</i> Lour.	Burmese fishtail palm
<i>Casimiroa edulis</i> La Llave & Lex.	White sapote
<i>Celtis tetrandra</i> Roxb.	Si rui po
<i>Cereus aethiops</i> Haw.	Cactus
<i>Cestrum latifolium</i> Lam.	Jasmin sauvage
<i>Cestrum nocturnum</i> L.	Lady-of-the-night
<i>Chionanthus parkinsonii</i> (Hutch.) Bennet & Raizada	
<i>Chrysobalanus icaco</i> L.	Coco plum
<i>Chrysophyllum albidum</i> G. Don	White star apple
<i>Chrysophyllum cainito</i> L.	Caimito, star apple
<i>Chrysophyllum roxburghii</i> G. Don	Athapala
<i>Chukrasia tabularis</i> A. Juss.	Burmese almondwood
<i>Cinnamomum yabunikkei</i> H. Ohba	Yabu-nikkei

Oriental Fruit Fly Host List
August 2015

<i>Cissus repens</i> Lam.	
× <i>Citrofortunella floridana</i> J. W. Ingram & H. E. Moore	Limequat
× <i>Citrofortunella microcarpa</i> (Bunge) Wijnands	Calamandarin, calamondin
<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	Watermelon
<i>Citrullus colocynthis</i> (L.) Schrad.	Bitter apple, wild gourd
<i>Citrus aurantiifolia</i> (Christm. Swingle)	Sour lime, lime
<i>Citrus aurantium</i> L.	Sour orange
<i>Citrus clementina</i> Hort. ex Tanaka	Clementine
<i>Citrus deliciosa</i> Ten.	Italian tangerine, willow-leaf mandarin
<i>Citrus depressa</i> Hayata	
<i>Citrus hystrix</i> DC.	Kaffir lime
<i>Citrus jambhiri</i> Lush.	Rough lemon
<i>Citrus keraji</i> Hort. ex Tanaka	Kabuchi, keraji
<i>Citrus latifolia</i> (Yu. Tanaka) Tanaka	Persian lime
<i>Citrus limetta</i> Risso	Sweet lime
<i>Citrus limon</i> (L.) Burm. f.	Lemon
<i>Citrus limonia</i> Osbeck	Rangpur lime
<i>Citrus maxima</i> (Burm.) Merrill	Pummelo, shaddock
<i>Citrus natsudaikai</i> Hayata	Japanese summer grapefruit, natsu-daikai
<i>Citrus nobilis</i> Lour.	King orange
<i>Citrus oto</i> Hort. ex Yu. Tanaka	
<i>Citrus paradisi</i> Macfady	Grapefruit
<i>Citrus reticulata</i> Blanco	Mandarin orange, tangerine
<i>Citrus sinensis</i> (L.) Osbeck	Common, Kona, or sweet orange
<i>Citrus × tangelo</i> J. W. Ingram & H. E. Moore	Tangelo
<i>Citrus unshiu</i> Marcow.	Satsuma orange, unshū-mikan
<i>Clausena lansium</i> (Lour.) Skeels	Wampi
<i>Clusia rosea</i> Jacq.	Copey
<i>Coccinia grandis</i> (L.) Voigt	Ivy gourd
<i>Coccoloba uvifera</i> (L.) L.	Sea grape
<i>Cocos nucifera</i> L.	Coconut
<i>Coffea arabica</i> L.	Arabian coffee, coffee
<i>Coffea canephora</i> Pierre ex A. Froehner	Robusta coffee
<i>Cordia dentata</i> Poir.	English clammy berry
<i>Cordyla pinnata</i> (A. Rich.) Milne-Redh.	
<i>Crinum asiaticum</i> L.	Asiatic poisonbulb
<i>Cucumis ficifolius</i> A. Rich.	Cucumis
<i>Cucumis figarei</i> Delile ex Naudin	
<i>Cucumis melo</i> L.	Cantaloupe
<i>Cucumis sativus</i> L.	Cucumber
<i>Cucurbita maxima</i> Duchesne	Squash
<i>Cucurbita pepo</i> L.	Pumpkin, zucchini squash
<i>Datura stramonium</i> L.	Common thorn-apple
<i>Desmos chinensis</i> Lour.	Jia ying zhua
<i>Dillenia obovata</i> (Blume) Hoogland	Simpoh padang
<i>Dimocarpus longan</i> Lour.	Longan

Oriental Fruit Fly Host List
August 2015

<i>Diospyros areolata</i> King & Gamble	
<i>Diospyros blancoi</i> A. DC.	Mabolo, velvet apple
<i>Diospyros castanea</i> (Craib). H. R. Fletcher	
<i>Diospyros diepenhorstii</i> Miq.	Kaya malam
<i>Diospyros glandulosa</i> Lace	Mai kua thoun
<i>Diospyros japonica</i> Siebold & Zucc.	Ryūkyū-mamegaki
<i>Diospyros kaki</i> Thunb.	Japanese persimmon, kaki, Oriental persimmon
<i>Diospyros malabarica</i> (Desr.) Kostel.	Indian persimmon
<i>Diospyros maritima</i> Blume	Sea ebony
<i>Diospyros mollis</i> Griff.	Ma kluea
<i>Diospyros montana</i> Roxb.	Mountain persimmon
<i>Diospyros sandwicensis</i> (A. DC.) Fosberg	Elama, lama
<i>Diospyros vera</i> (Lour.) A. Chev.	Native persimmon
<i>Diplocyclos palmatus</i> (L.) C. Jeffrey	Striped-cucumber
<i>Dovyalis hebecarpa</i> (Gardner) Warb.	Ceylon gooseberry, kitembilla
<i>Dracaena draco</i> (L.) L.	Dragon tree
<i>Dracaena steudneri</i> Schweinf. ex Engl.	Northern large leaf dragon tree
<i>Ehretia microphylla</i> Lam.	Philippine tea
<i>Elaeocarpus hygrophilus</i> Kurz	Ma-kok-nam
<i>Elaeocarpus serratus</i> L.	Ceylon olive
<i>Eriobotrya japonica</i> (Thunb) Lindl.	Loquat
<i>Erycibe subspicata</i> Wall. ex G. Don	Zhui xu ding gong teng
<i>Eugenia brasiliensis</i> Lam.	Brazil cherry, Brazilian plum
<i>Eugenia megacarpa</i> Craib	
<i>Eugenia palumbis</i> Merr.	
<i>Eugenia uniflora</i> L.	Surinam cherry
<i>Exalobus monopetalus</i>	
<i>Excoecaria agallocha</i> L.	Blind-your-eye mangrove
<i>Fagraea ceilanica</i> Thunb.	Hui li
<i>Fibraurea tinctoria</i> Lour.	Sekunyit
<i>Ficus auriculata</i> Lour.	Roxburgh fig
<i>Ficus benjamina</i> L.	Benjamin fig
<i>Ficus carica</i> L.	Common fig, fig
<i>Ficus chartacea</i> (Wall. ex Kurz) Wall. ex King	Zhi ye rong
<i>Ficus concatian</i>	
<i>Ficus eligodon</i>	
<i>Ficus erecta</i> Thunb.	Ai xiao tian xian guo
<i>Ficus fistulosa</i> Reinw. ex Blume	Yellow stem fig
<i>Ficus hirta</i> Vahl	Cu ye rong
<i>Ficus hispida</i> L. f.	Hairy fig
<i>Ficus microcarpa</i> L. f.	Chinese banyan
<i>Ficus obpyramidiata</i>	
<i>Ficus ottoniifolia</i> Miq.	
<i>Ficus pumila</i> L.	Bi li, creeping mission fig
<i>Ficus racemosa</i> L.	Cluster fig
<i>Ficus religiosa</i> L.	Sacred fig
<i>Ficus septica</i> Burm. f.	Septic fig

Oriental Fruit Fly Host List
August 2015

<i>Ficus virgata</i> Reinw. ex Blume	Dao rong
<i>Flacourtia indica</i> (Burman f.) Merrill	Governor's plum, ramontehi, rukam
<i>Flacourtia rukam</i> Zoll. & Moritzi	Prunier café
<i>Flueggea virosa</i> (Roxb. ex Willd) Royle	Common bushweed
<i>Fortunella japonica</i> (Thunb.) Swingle	Calamondin orange, Chinese orange, kumquat
<i>Fortunella margarita</i> (Lour.) Swingle	Nagami kumquat
<i>Fortunella polyandra</i> (Ridl.) Tanaka	Malayan kumquat
<i>Fragaea berteriana</i> Benth var. <i>sair</i> Gilg. & Benedict	Pua keniken
<i>Fragaria xananassa</i> Duchesne ex Rozier	Strawberry
<i>Fragaria chiloensis</i> (L.) Mill.	Strawberry
<i>Garcinia atroviridis</i> Griff. ex T. Anderson	Gelugor
<i>Garcinia cowa</i> Roxb. ex DC.	Cowa
<i>Garcinia dulcis</i> (Roxb.) Kurz	Eggtree
<i>Garcinia griffithii</i> T. Anderson	
<i>Garcinia hombroniana</i> Pierre	
<i>Garcinia intermedia</i> (Pittier) Hammel	
<i>Garcinia mangostana</i> L.	Mangosteen
<i>Garcinia mannii</i> Oliv.	Kar
<i>Garcinia parvifolia</i> Miq.	Kandis
<i>Garcinia prainiana</i> King	Button mangosteen
<i>Garcinia speciosa</i> Wall.	Ma pong
<i>Garcinia subelliptica</i> Merr.	
<i>Garcinia xanthochymus</i> Hook. f.	Gourka, gamboge tree
<i>Garuga floribunda</i> Decne.	Garuga, nemismis
<i>Glochidion littorale</i> Blume	Saka saka
<i>Glycosmis pentaphylla</i> (Retz.) DC.	Shan xiao ju
<i>Gmelina elliptica</i> Sm.	Badhara bush
<i>Gmelina philippensis</i> Cham.	
<i>Gossypium barbadense</i> L.	Egyptian cotton, cotton plant
<i>Gymnopetalum scabrum</i> (Lour.) W. J. de Wilde & Duyfjes	Feng gua
<i>Gynochthodes umbellata</i> (L.) Razafim. & B. Bremer	Common Indian mulberry
<i>Hanguana malayana</i> (Jack) Merr.	
<i>Heynea trijuga</i> Roxb. ex Sims	
<i>Holigarna kurzii</i> King	
<i>Horsfieldia subglobosa</i> Warb.	Penarahan
<i>Hylocereus undatus</i> (Haw.) Britton & Rose	Dragon fruit
<i>Inocarpus fagiferus</i> (Parkinson) Fosberg	Marrup, Tahitian chestnut
<i>Irvingia gabonensis</i> (Aubry-Lecomte ex O'Rorke) Baill.	Dikanut
<i>Irvingia malayana</i> Oliv. ex A. W. Benn.	Kabok
<i>Ixora javanica</i> (Blume) DC.	
<i>Ixora macrothyrsa</i> (Teijsm. & Binn.) R. Br.	Santan-pula
<i>Jubaea chilensis</i> (Molina) Baill.	Syrup palm
<i>Juglans hindsii</i> (Jeps.) R. E. Sm.	California walnut, Hinds's walnut

Oriental Fruit Fly Host List
August 2015

<i>Juglans nigra</i> L.	Black walnut
<i>Juglans regia</i> L.	English walnut
<i>Kedrostis leloja</i> (Forssk.) C. Jeffrey	
<i>Knema globularia</i> (Lam.) Warb.	Xiao ye hong guang shu
<i>Lagenaria siceraria</i> (Molina) Standl.	Bottle gourd
<i>Lansium domesticum</i> Corrêa	Langsat, lanzones
<i>Lansium parasiticum</i> (Osbeck) K. C. Sahnî & Bennet	
<i>Lepisanthes alata</i> (Blume) Leenh.	Sinpaju
<i>Lepisanthes fruticosa</i> (Roxb.) Leenh.	
<i>Lepisanthes rubiginosa</i> (Roxb.) Leenh.	Kelatiayu
<i>Lepisanthes tetraphylla</i> (Vahl) Radlk.	
<i>Lindera oxyphylla</i> Hk. f.	
<i>Litchi chinensis</i> Sonn.	Litchi, lychee
<i>Litsea glutinosa</i> (Lour.) C. B. Rob.	Bolly-beech
<i>Litsea salicifolia</i> (J. Roxb. ex Nees) Hook. f.	Hei mu jiang zi
<i>Luffa acutangula</i> (L.) Roxb.	Ribbed loofah
<i>Luffa aegyptiaca</i> Mill.	Loofah
<i>Lycianthes biflora</i> (Lour.) Bitter	Hong si xian
<i>Machilus thunbergii</i> Siebold & Zucc.	Tabu
<i>Maclura cochinchinensis</i> (Lour.) Corner	Cockspurthorn
<i>Maerua duchesnei</i> (De Wild.) F. White	
<i>Malpighia emarginata</i> DC.	Barbados cherry, acerola
<i>Malpighia glabra</i> L.	Acerola, Acerola cherry, Barbados cherry, west Indian cherry
<i>Malus domestica</i> Borkh.	Apple, domestic apple
<i>Malus sylvestris</i> (L.) Mill.	Apple, crab apple
<i>Mammea siamensis</i> T. Anderson	
<i>Mangifera caesia</i> Jack	Wani
<i>Mangifera caloneura</i> Kurz	Mamuangpa
<i>Mangifera foetida</i> Lour.	Bachang mango
<i>Mangifera griffithii</i> Hook. f.	Rawa
<i>Mangifera indica</i> L.	Mango
<i>Mangifera laurina</i> Blume	Boa pow, mangga
<i>Mangifera longipetiolata</i> King	Asam damaran, asam kumbang
<i>Mangifera odorata</i> Griff.	Kuine, Saipan mango
<i>Mangifera pajang</i> Kosterm.	Bambangan
<i>Manilkara jaimiqui</i> (C. Wright) Dubard subsp. <i>emarginata</i> (L.) Cronquist	Wild sapodilla
<i>Manilkara zapota</i> (L.) P. Royen	Sapote, chicle, chiku, sapodilla
<i>Merremia vitifolia</i> (Burm. f.) Hallier f.	zhang ye yu huang cao
<i>Microcos tomentosa</i> Sm.	
<i>Mimusops elengi</i> L.	Elengi, pogada, Spanish cherry
<i>Mitrephora maingayi</i> Hook. f. & Thomson	Thabut-net
<i>Momordica balsamina</i> L.	Balsam apple, bitter melon
<i>Momordica charantia</i> L.	Balsam pear, bitter melon
<i>Momordica cochinchinensis</i> (Lour.) Spreng.	Balsam apple

Oriental Fruit Fly Host List
August 2015

<i>Morella rubra</i> Lour.	Chinese-arbutus
<i>Morinda citrifolia</i> L.	Noni, Indian mulberry
<i>Morinda coreia</i> Buch.-Ham.	
<i>Morus alba</i> L.	White mulberry
<i>Morus nigra</i> L.	Black mulberry
<i>Muntingia calabura</i> L.	Jamaica cherry
<i>Murraya exotica</i> L.	Chinese-boxwood
<i>Murraya paniculata</i> (L.) Jack	Mock orange, orange jasmine
<i>Musa acuminata</i> Colla	Chinese banana, dwarf banana
<i>Musa balbisiana</i> Colla	Plantain
<i>Musa ×paradisica</i> L.	Banana, common banana
<i>Musa troglodytarum</i> L.	Fe'i banana
<i>Myxopyrum smilacifolium</i> Blume	
<i>Nauclea orientalis</i> (L.) L.	Canary wood
<i>Neolamarckia cadamba</i> (Roxb.) Bosser	Burflower tree
<i>Neolitsea sericea</i> (Blume) Koidz.	Shirodamo
<i>Nephelium cuspidatum</i> Blume var. <i>eripetalum</i> (Miq.) Leenh.	Panungaian
<i>Nephelium lappaceum</i> L.	Rambutan
<i>Nestegis sandwicensis</i> (A. Gray) O. Deg., I. Deg. & L. A. S. Johnson	Olopu
<i>Nicandra physalodes</i> (L.) Gaertn.	Apple-of-Peru
<i>Nicotiana glauca</i> Graham	Tree tobacco
<i>Nicotiana tabacum</i> L.	Tobacco
<i>Ochreinauclea maingayi</i> (Hook. f.) Ridsdale	
<i>Ochrosia mariannensis</i> A. DC.	
<i>Olax scandens</i> Roxb.	Dheniani
<i>Olea europaea</i> L.	Olive
<i>Opuntia ficus-indica</i> (L.) Mill.	Cactus, prickly pear
<i>Palaquium maingayi</i> (C. B. Clarke) King & Gamble	Nyatoh
<i>Pandanus fragrans</i> Gaudich.	Screw pine
<i>Pandanus odorifer</i> (Forssk.) Kuntze	Hala, pandanus, screw pine
<i>Papilionanthe hookeriana</i> (Rchb. f.) Schltr. × <i>Papilionanthe teres</i> (Roxb.) Schltr.	Vanda orchids
<i>Parinari anamense</i> Hance	
<i>Parkia speciosa</i> Hassk.	Petai
<i>Passiflora edulis</i> Sims	Lilikoi, passion fruit, purple granadilla, yellow lilikoi
<i>Passiflora foetida</i> L.	Love-in-a-mist, pohapoha, stinking passion fruit
<i>Passiflora incarnata</i> L.	Maypop, wild passion fruit
<i>Passiflora laurifolia</i> L.	Bell apple, water lemon, yellow granadilla
<i>Passiflora ligularis</i> Juss.	Sweet granadilla
<i>Passiflora quadrangularis</i> L.	Giant granadilla
<i>Passiflora tripartita</i> (Juss.) Poir. var. <i>mollissima</i> (Kunth) Holm-Niels. & P. Jørg.	Banana passion fruit, soft leaf passionflower
<i>Pereskia grandiflora</i> Pfeiff.	

Oriental Fruit Fly Host List
August 2015

<i>Persea americana</i> Miller	Alligator pear, avocado
<i>Phaseolus vulgaris</i> L.	Green bean, snap bean
<i>Phoenix dactylifera</i> L.	Date palm
<i>Phyllanthus acidus</i> (L.) Skeels	Gooseberry tree
<i>Physalis angulata</i> L.	Angular winter cherry
<i>Physalis minima</i> L.	Green gooseberry
<i>Physalis peruviana</i> L.	Ground cherry, poha
<i>Physalis philadelphica</i> Lam.	Husk tomato
<i>Physalis pubescens</i> L.	Strawberry tomato
<i>Pimenta dioica</i> (L.) Merrill	Allspice
<i>Planchonella duclitan</i> (Blanco) Bakh. f.	
<i>Polyalthia longifolia</i> (Sonn.) Thwaites	Cemetery tree, custard apple, India greenstar
<i>Polyalthia simiarum</i> (Buch.-Ham. ex Hook. f. & Thomson) Benth. ex Hook. f. & Thomson	
<i>Pometia pinnata</i> J. R. Forst. & G. Forst.	Fijian longan
<i>Poncirus trifoliata</i> (L.) Raf.	Japanese bitter orange
<i>Pouteria caimito</i> (Ruiz & Pav.) Radlk.	Abiu
<i>Pouteria campechiana</i> (Kunth) Baehni	Canistel, egg fruit, egg fruit tree
<i>Pouteria sapota</i> (Jacq.) H. E. Moore & Stearn	Mamey sapote, marmalade fruit
<i>Pouteria viridis</i> (Pittier) Cronquist	Green sapote
<i>Premna serratifolia</i> L.	Coastal premna
<i>Prunus armeniaca</i> L.	Apricot
<i>Prunus avium</i> (L.) L.	Sweet cherry
<i>Prunus campanulata</i> Maxim.	Taiwan cherry
<i>Prunus cerasifera</i> Ehrh.	Cherry plum, methley plum
<i>Prunus cerasoides</i> D. Don	Sour cherry, wild Himalayan cherry
<i>Prunus cerasus</i> L.	Sour cherry, maraschino cherry
<i>Prunus domestica</i> L.	Common plum, European plum
<i>Prunus ilicifolia</i> (Nutt. ex Hook. & Arn.) D. Dietr.	Catalina cherry, hollyleaf cherry
<i>Prunus mume</i> Siebold & Zucc.	Japanese apricot
<i>Prunus persica</i> (L.) Batsch.	Peach
<i>Prunus salicina</i> Lindl.	Japanese plum
<i>Psidium cattleianum</i> Sabine	Purple, red and yellow strawberry guava, strawberry guava
<i>Psidium guajava</i> L.	Common guava, guava
<i>Punica granatum</i> L.	Pomegranate
<i>Pyrus communis</i> L.	Pear
<i>Pyrus pashia</i> Buch.-Ham. ex D. Don	
<i>Pyrus pyrifolia</i> (Burm. f.) Nakai	Sand pear
<i>Rhodomyrtus tomentosa</i> (Aiton) Hassk.	Downy rose myrtle, myrtle
<i>Rollinia mucosa</i> (Jacq.) Baill.	
<i>Saba senegalensis</i> (A. DC.) Pichon	Liane saba, mad, made
<i>Sambucus javanica</i> Reinw. ex Blume	Chinese elder
<i>Sandoricum koetjape</i> (Burm. f.) Merrill	Santol
<i>Santalum paniculatum</i> Hook. & Arn.	Native Hawaiian sandalwood, sandalwood
<i>Sarcocephalus latifolius</i> (Sm.) Bruce	Country fig
<i>Sauropus androgynus</i> (L.) Merr.	Star gooseberry, katuk

Oriental Fruit Fly Host List
August 2015

Schoepfia fragrans Wall.	
Sclerocarya birrea (A. Rich.) Hochst.	Maroola plum
Sechium edule (Jacq.) Sw.	Chayote
Sesbania grandiflora (L.) Poir.	Scarlet wisteria tree
Shirakiopsis indica (Willd.) Esser	
Simarouba glauca DC.	Paradise tree
Siphonodon celastrineus Griff.	
Solanum aculeatissimum Jacq.	Dutch eggplant
Solanum aethiopicum L.	Kumba
Solanum anguivi Lam.	African eggplant
Solanum betaceum Cav.	Tree tomato
Solanum donianum Walp.	Mullein, nightshade
Solanum erianthum D. Don	Big eggplant
Solanum grandiflorum Ruiz & Pav.	
Solanum granuloso-leprosum Dunal	
Solanum incanum L.	Bitter apple
Solanum lasiocarpum Dunal	Indian nightshade
Solanum linnaeanum Hepper & P.-M. L. Jaeger	Apple-of-sodom
Solanum lycopersicum L.	Tomato
Solanum macrocarpon L.	Gboma eggplant
Solanum mammosum L.	Macawbush
Solanum mauritianum Scop.	Bugtree
Solanum melongena L.	Eggplant
Solanum muricatum Aiton	Melon pear, pepino
Solanum nigrescens M. Martens & Galeotti	Divine nightshade
Solanum nigrum L.	Black nightshade
Solanum pimpinellifolium L.	Currant tomato
Solanum pseudocapsicum L.	Jerusalem cherry
Solanum quitoense Lam.	Quito orange
Solanum scabrum Mill.	Garden huckleberry
Solanum seforthianum Andrews	Black nightshade
Solanum sessiliflorum Dunal	Cocona, peach tomato
Solanum stramonifolium Jacq.	
Solanum torvum Sw.	Devil's fig, turkeyberry
Solanum trilobatum L.	
Solanum tuberosum L.	Irish potato
Sorindeia madagascariensis DC.	Sondriry
Spondias dulcis Sol. ex Parkinson	Otaheite apple, Jew plum, wi apple
Spondias mombin L.	Jamaica plum, yellow mombin
Spondias pinnata L.	Common hog plum
Spondias purpurea L.	Purple mombin, red mombin, Spanish plum
Streblus asper Lour.	
Strychnos mellodora S. Moore	
Syzygium aqueum (Burm. f.) Alston	Water apple, watery rose apple
Syzygium borneense (Miq.) Miq.	
Syzygium cumini (L.) Skeels	Malay apple, Java plum
Syzygium formosanum (Hayata) Mori.	

Oriental Fruit Fly Host List
August 2015

<i>Syzygium grande</i> (Wight) Walp.	
<i>Syzygium jambos</i> (L.) Alston	Rose apple
<i>Syzygium lineatum</i> (DC.) Merr. & L. M. Perry	
<i>Syzygium malaccense</i> (L.) Merrill & L. M. Perry	Mountain apple
<i>Syzygium nervosum</i> DC.	Daly River, satin-ash
<i>Syzygium samarangense</i> (Blume) Merr. & L. M. Perry	Java apple
<i>Taddalia asiatica</i>	
<i>Terminalia catappa</i> L.	False kamani, tropical almond
<i>Terminalia chebula</i> Retz.	Black myrobalan, chebula
<i>Terminalia citrina</i> (Gaertn.) Roxb. ex Fleming	Black chuglam
<i>Theobroma cacao</i> L.	Cocoa
<i>Thevetia peruviana</i> (pers.) K. Schum.	Yellow oleander
<i>Trichosanthes boninensis</i> Nakai	
<i>Trichosanthes cucumerina</i> L.	Serpent gourd
<i>Trichosanthes dioica</i> Roxb.	Pointed gourd
<i>Trichosanthes ovigera</i> Blume	Snake gourd
<i>Triphasia trifolia</i> (Burm. f.) P. Wilson	Limeberry
<i>Turpinia ternata</i> Nakai	San ye shan xiang yuan
<i>Uvaria grandiflora</i> Roxb. ex Hornem.	
<i>Uvaria macrophylla</i> Roxb.	
<i>Vaccinium reticulatum</i> Sm.	Ohelo
<i>Viburnum japonicum</i> (Thunb.) Spreng.	Hakusan-boku
<i>Vitellaria paradoxa</i> C. F. Gaertn.	Shea-butter tree
<i>Vitis vinifera</i> L.	Grape
<i>Wikstroemia phillyreifolia</i> A. Gray	Akia, false ohelo
<i>Willughbeia cochinchinensis</i> Pierre ex Pit.	
<i>Xanthophyllum flavescens</i> Roxb.	
<i>Ximenia americana</i> L.	Yellow plum
<i>Zehneria mucronata</i> (Blume) Miq.	
<i>Zehneria wallichii</i> (C. B. Clarke) C. Jeffrey	
<i>Ziziphus jujuba</i> Mill.	Jujube
<i>Ziziphus mauritiana</i> Lam.	Chinese date, Jujube
<i>Ziziphus nummularia</i> (Burm. f.) Wight & Arn.	
<i>Ziziphus oenoplia</i> (L.) Mill.	